

MATERIAL SAFETY DATA SHEET

Bengal Roach Spray II

1. COMPANY & PRODUCT INFORMATION

Product: Bengal Roach Spray II

EPA Reg. No. 68543-12

Emergency Telephone No.: (225) 753-1313 (24 hours)

2. HAZARDOUS INGREDIENTS*

Dimethyl ether/1,1-difluoroethane (propellants)

Percent by weight: >75%

CAS No. 106-97-8/74-98-6

Exposure Limits: 1000ppm TWA

Permethrin

(active ingredient)

Percent by weight: 2.0%

CAS No. 52645-53-1

Exposure Limits: Not est.

*Hazardous within the meaning of 29 CFR 1910.1200

3. HAZARDS IDENTIFICATION

Overview:

- Nearly odorless composition in an aerosol container. Vapor reduces oxygen available for breathing and is heavier than air.
- Contents under pressure (60 - 70 psi at 70°F)
Exposure to temperatures above 130°F may cause bursting
- Contents (propellant) are flammable. Keep away from ignition sources and hot surfaces
- Burning may produce toxic by-products (carbon monoxide)

Potential Health Effects: EYES: May cause temporary discomfort.

SKIN: May cause skin irritation in sensitive people. Avoid contact. Contact with spray may cause frostbite on exposed skin.

SYSTEMIC & OTHER EFFECTS: A statistically significant increase in the incidence of lung and liver tumors was observed in female mice receiving diets containing 375 and 750 mg/kg/day of Permethrin over 85 weeks.

CARCINOGENICITY: NTP: Not listed;

IARC monographs: Not listed; OSHA: Not listed

COMMENT: Unnecessary exposure to this product, or any chemical, should be avoided.

4. FIRST AID MEASURES

EYES: Flush repeatedly with clean water. Get medical attention if irritation persists.

SKIN: Wash skin with soap and water. Get medical attention if irritation persists.

INHALATION: Remove to fresh air.

ORAL: Call a physician or Poison Control Center.

5. FIRE FIGHTING MEASURES

FLASH POINT: >410°F (liquid concentrate)

FLAME EXTENSION: <18" **AUTOIGNITION:** Not Established

FLAMMABILITY LIMITS IN AIR, % by vol.:

UPPER: 16.9% LOWER: 3.4%

UNUSUAL FIRE OR EXPLOSION HAZARDS: None known.

SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus and protective clothing should be worn when fighting fires involving chemicals. Firefighters should use protective shielding to avoid being hit by rupturing containers.

6. SPILL/LEAK PROCEDURES

SPILL RESPONSE: Remove ignition sources. Use absorbent material to collect and contain for salvage or disposal. Ventilate area. This product contains no CERCLA listed chemicals. This product may be a RCRA hazardous waste upon disposal due to ignitability characteristics.

This document has been prepared to meet the requirements of the OSHA Hazard Communication Standard, 29 CFR 1910.1200, the EU Directive, 91/155/EEC and other regulatory agencies.

7. HANDLING AND STORAGE

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT: NONE REQUIRED

SKIN: Avoid skin contact. Wash hands after using product.*

INHALATION: Use only in a well-ventilated area.

VENTILATION: No special ventilation required when used according to label directions.

COMMENTS: Use only at normal room temperatures. Avoid skin contact. Do not incinerate. Read and follow directions for use.

*Good practice requires that gross amounts of any chemical be removed from the skin as soon as practical, especially before eating or smoking.

9. PHYSICAL PROPERTIES

SPECIFIC GRAVITY OF CONCENTRATE: approx. 1.272

VAPOR PRESSURE (PSIG @ 70°F): 65 **BOILING POINT (F):** N/A

PERCENT VOLATILE BY VOLUME: <98%

SOLUBILITY IN WATER: insoluble

EVAPORATION RATE (Water=1): not established

APPEARANCE & ODOR: brown viscous liquid; mild ethereal odor

10. STABILITY & REACTIVITY

STABILITY: STABLE

INCOMPATIBILITY (MATERIAL TO AVOID): NONE KNOWN.

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Products of combustion are principally carbon dioxide, carbon monoxide and water.

CONDITIONS TO AVOID: Do not store above 130°F. Do not store near open flame.

11. TOXICOLOGICAL

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of vapors. Avoid contact with skin, eyes or clothing. Do not use in commercial food processing or preparation areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover aquariums before using.

LD50 for Permethrin= 3,801 mg/kg

12. ENVIRONMENTAL INFORMATION

This product is toxic to fish and aquatic invertebrates. Do not apply directly to any body of water.

13. DISPOSAL

Replace cap and discard empty container in trash. Do not puncture or incinerate.

14. TRANSPORTATION INFORMATION

Proper Shipping Name: Consumer Commodity

DOT Hazard Class: ORM-D

15. REGULATORY INFORMATION

NFPA Ratings: Health: 2 Fire: 4 Reactivity: 1 Special: None

SARA Title III: SARA 313 INFORMATION: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

Permethrin CAS#52645-53-1 2.0%

US EPA Signal Word: CAUTION Date Revised: July 18, 2000



Bengal Chemical Inc.
13739 Airline Highway
Baton Rouge, LA 70817
(225) 753-1313
www.bengal.com